

United States Patent and Trademark Office

06/08/2011

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450

r.U. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	ISSUE DATE	PATENT NO.	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/588,024	06/28/2011	7967183	2003P18131WOUS	1234

22116 7590

SIEMENS CORPORATION INTELLECTUAL PROPERTY DEPARTMENT 170 WOOD AVENUE SOUTH ISELIN, NJ 08830

ISSUE NOTIFICATION

The projected patent number and issue date are specified above.

Determination of Patent Term Adjustment under 35 U.S.C. 154 (b)

(application filed on or after May 29, 2000)

The Patent Term Adjustment is 724 day(s). Any patent to issue from the above-identified application will include an indication of the adjustment on the front page.

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Adjustment is the filing date of the most recent CPA.

Applicant will be able to obtain more detailed information by accessing the Patent Application Information Retrieval (PAIR) WEB site (http://pair.uspto.gov).

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Application Assistance Unit (AAU) of the Office of Data Management (ODM) at (571)-272-4200.

APPLICANT(s) (Please see PAIR WEB site http://pair.uspto.gov for additional applicants):

Dirk Goldschmidt, Moers, GERMANY;
Matthias Oechsner, Mulheim an der Ruhr, GERMANY;
Michael Ott, Mulheim an der Ruhr, GERMANY;
Uwe Paul, Ratingen, GERMANY;
Ursula Pickert, Mulheim an der Ruhr, GERMANY;
Eckart Schumann, Mulheim an der Ruhr, GERMANY;
Beate Seiler, Sint-Gillis-Waas, GERMANY;
Robert Singer, Erlangen, GERMANY;
Jan Steinbach, Berlin, GERMANY;
Andreas Volek, Erlangen, GERMANY;
Volker Vosberg, Mulheim an der Ruhr, GERMANY;